



GLI®

GLI Europe BV

Satellietbaan 12
2181 MH Hillegom
The Netherlands

Tel + 31(0)252 529 838
Fax +31(0)252 529 608
www.gaminglabs.com

Chamber of Commerce
Leiden nr. 28076871
VAT Identificationnumber
NL80.64.36.931.B01



Inscribed in the STERLAB
register of test laboratories
under no L372 for areas
described in detail in
the accreditation.



Inscribed in the STERIN
register of inspection bodies
under no. 1111 for areas
described in detail in
the accreditation.

GLI Europe BV (GLI) has completed its tests based on the regulatory requirements set forth in the jurisdiction listed herein. GLI does not warrant the products safety nor its performance.

The opinions and conclusions within this report are for the exclusive use of the addressee and are only valid for the jurisdiction referenced in this report. Any other use of the contents of this report is not authorized.

This inspection report shall not be reproduced, except in full, without the approval of the inspection body and the client.

Worldwide Locations

World Headquarters

Lakewood, New Jersey

U.S. Regional Offices

Colorado
Nevada

International Offices

GLI Africa®
GLI Europe BV®
GLI Australia® Pty Ltd
GLI Italy

Report N° 2007LYL002LC123

Date 8 June 2007

GLI Europe B.V. Inspection Report

Client	Latrej Limited Ltd. 53 Venners Water Didcot, Oxon, OX11 7PT Oxfordshire England
Tested against Conformance Criteria	GLI-11 V1.3, Data Checkoff, Revision date: 20-APR-2007 11:15 GLI-11 V2.0, Data Checkoff, Revision date: 20-APR-2007 11:15
Manufacturer/Supplier	Latrej Limited Ltd. 53 Venners Water Didcot, Oxon, OX11 7PT Oxfordshire England
Product Name	Latrej
Product Style	Table Game
Description of the Product tested	GLI Page 5 Fig C, GLI Page 7 Fig A1 and GLI Page 7 Fig A2. As per manufacturer's letter dated 3rd April 2007.
Laboratory	GLI Europe B.V.
Date Received / Date Completed	3 rd April 2007 / 8 th June 2007
Results	Pass (See Comments and Conditions on Page 2)
Annexes	<ul style="list-style-type: none">- Comments/Conditions- Hardware Product Detail- Software Product Detail- Applied Tests- Product Characteristics

Tested By:

Jeroen van Delft
Test Engineer

Peter Cercone
General Manager

Internal Reference: GL-123-LYL-07-01

Revision 5.0
Created on 22 January 2001
Modified 7 July 2006

FRM 12.0 Inspection Report

Controlled
Page 1 of 8



GLI Europe B.V. Comments/Conditions

1. Comments

As from 1st July 2006, it is the manufacturers responsibility to ensure that their product is RoHS compliant with EU directive 2002/95/EG.

A request was made to conduct an artwork evaluation against GLI-11 with no reference to any particular jurisdictional requirement. Upon request for transfer of this evaluation to a jurisdiction, GLI Europe will process this in accordance with the jurisdictional requirements that are required.

This Inspection Report describes the new tablemat for the Latrey game. The cosmetic change with the previous Latrey tablemat is the difference in color used. However the layout and game play have not been changed. The Latrey game was previously certified in 2003GLI001LC77.
In the product characteristics is the new tablemat described.

2. Conditions

There are no conditions applicable to this Inspection report.

Tested By:

Jeroen van Delft
Test Engineer

Peter Cercone
General Manager

Internal Reference: GL-123-LYL-07-01



Report N° 2007LYL002LC123
Date 8 June 2007

GLI Europe B.V. Hardware Product Detail

There is no Hardware Product Detail applicable to this Inspection report.

Tested By:

Jeroen van Delft
Test Engineer

Peter Cercone
General Manager

Internal Reference: GL-123-LYL-07-01

Revision 5.0
Created on 22 January 2001
Modified 7 July 2006

FRM 12.0 Inspection Report

Controlled
Page 3 of 8

GLI®

The Netherlands • Italy • South Africa • Australia
New Jersey • Colorado • Nevada
www.gaminglabs.com

CERTIFICATION DOCUMENT



Report N° 2007LYL002LC123
Date 8 June 2007

GLI Europe B.V. Software Product Detail

Product ID	Function	Average Player Return %	Average House Edge %	Certificate/Approval ID
Latrey version 1	Table Game (Table A)	94.43%	5.57%	2003GLI001LC123
Latrey version 2	Table Game (Table B)	96.32%	3.68%	2003GLI001LC123

Tested By:

Jeroen van Delft
Test Engineer

Peter Cercone
General Manager

Internal Reference: GL-123-LYL-07-01



Report N° 2007LYL002LC123
Date 8 June 2007

GLI Europe B.V. Applied Tests

Product ID	Test Performed	Reference N°	Results (Pass/Fail/N/A)	Additional Details
GLI Page 5 Fig C, GLI Page 7 Fig A1 GLI Page 7 Fig A2.	Pay Glass Evaluation Jurisdictional Regulations Review	WI TL02_01 Rev. 1.7 WI TL02_04 Rev. 2.0	Pass Pass	Internal Reference: GL-123-LYL-07-01

Tested By:

Jeroen van Delft
Test Engineer

Peter Cercone
General Manager

Internal Reference: GL-123-LYL-07-01



GLI Europe B.V. Product Characteristics

Product ID	Characteristics
<p>GLI Page 5 Fig C, GLI Page 7 Fig A1 GLI Page 7 Fig A2.</p>	<p>DEALER & PLAYER POSITION MATS The layout includes player mats as shown in figure C.</p> <div style="text-align: center; margin: 20px 0;"> <p>L A T R E Y</p> </div> <p>Figure C: Mat Positions Layout (GLI Page 5 Fig C)</p> <p>DEALER & PLAYER DICE TUMBLER The casino house rules will dictate who operates the dice tumbler:</p> <ul style="list-style-type: none"> • Dealer operated: Only the dealer may handle and operate the dice tumbler, the dealers mat (see figure C item B) is the only mat used to place the dice tumbler. • Dealer - Player operated: A player may at the managements discretion make a shake of the dice; the dice tumbler would be placed on the players mat by the dealer (see figure C) • Player operated: The dealer offers the dice tumbler to each player in turn (see figure C)



GLI Europe B.V. Product Characteristics

Product ID	Characteristics
<p>GLI Page 5 Fig C, GLI Page 7 Fig A1, GLI Page 7 Fig A2.</p>	<p>The wagers on Latrey must be placed using Latrey or House Colour chips (that is, non-value chips denoted by an emblem or mark specific to the table of issue). Where cash or cheque plaques are offered by a player for a buy in, they must be exchanged for Colour chips (at an agreed value) as soon as possible.</p> <ul style="list-style-type: none"> • Only one person may play Colour chips of a particular colour; • A player buying in for Colour chips should agree the value of each chip with the dealer at the time of exchange; • The value of the Colour must be indicated by a marker button placed in a marker rack or tree displayed in a prominent position on the table, prior to the colour chip being passed to the player; • When the player cashes in their Colour chips, the dealer must confirm that all chips of that colour have been returned and then remove the marker button indicating the value. • If a colour is not currently being used, there should be no marker in place for that colour. <p>If a player places cash chips on the layout, the dealer must announce, for example, "cash chips play Any Latrey". A Supervisor should decide the value of cash chips to ensure the bet does not exceed the table limits. The dealer, to avoid disputes during a winning payout, should identify the player. After the decision the player should be offered a colour marked up as required.</p> <p>If a player offers cash to cover a wager, it must not be placed on the layout.</p> <p>The dealer will announce, for example, "Cash plays Number Seven" to confirm the Player's Wager request. They will then count the cash in the working area and announce the value. A Supervisor must confirm the amount, before the dealer exchanges the cash for cash chips or colour chips to the same value and places the chips on the number. The cash will then be dropped. (in dropbox underneath table)</p> <p>There are 42 possible betting options on a Latrey table. The type of bets available are as follows:</p> <p>BETTING AREAS</p> <p>Figure. GLI Page 7 Fig A1</p>



GLI Europe B.V. Product Characteristics

Product ID	Characteristics
GLI Page 5 Fig C, GLI Page 7 Fig A1 GLI Page 7 Fig A2.	
	<p>Figure: GLI Page 7 Fig A2</p> <p>Key to number betting areas in figure A 1. Low 2. High 3. Odd 4. Even 5. Specific Latrey 6. Any Latrey 7. Four Number Lines 8. Single Numbers 9. Split Pair Numbers</p>

Tested By:

Jeroen van Delft
Test Engineer

Peter Cercone
General Manager

Internal Reference: GL-123-LYL-07-01